

No.

200700294



THE UNITED STATES OF AMERICA

TO ALL TO WHOM THESE PRESENTS SHALL COME:

Syngenta Seeds, Inc.

Whereas, THERE HAS BEEN PRESENTED TO THE

Secretary of Agriculture

AN APPLICATION REQUESTING A CERTIFICATE OF PROTECTION FOR AN ALLEGED DISTINCT VARIETY OF SEXUALLY REPRODUCED, OR TUBER PROPAGATED PLANT, THE NAME AND DESCRIPTION OF WHICH ARE CONTAINED IN THE APPLICATION AND EXHIBITS, A COPY OF WHICH IS HEREUNTO ANNEXED AND MADE A PART HEREOF, AND THE VARIOUS REQUIREMENTS OF LAW IN SUCH CASES MADE AND PROVIDED HAVE BEEN COMPLIED WITH, AND THE TITLE THERETO IS, FROM THE RECORDS OF THE PLANT VARIETY PROTECTION OFFICE, IN THE APPLICANT(S) INDICATED IN THE SAID COPY, AND WHEREAS, UPON DUE EXAMINATION MADE, THE SAID APPLICANT(S) IS (ARE) ADJUDGED TO BE ENTITLED TO A CERTIFICATE OF PLANT VARIETY PROTECTION UNDER THE LAW.

NOW, THEREFORE, THIS CERTIFICATE OF PLANT VARIETY PROTECTION IS TO GRANT UNTO THE SAID APPLICANT(S) AND THE SUCCESSORS, HEIRS OR ASSIGNS OF THE SAID APPLICANT(S) FOR THE TERM OF TWENTY YEARS FROM THE DATE OF THIS GRANT, SUBJECT TO THE PAYMENT OF THE REQUIRED FEES AND PERIODIC REPLENISHMENT OF VIABLE BASIC SEED OF THE VARIETY IN A PUBLIC REPOSITORY AS PROVIDED BY LAW, THE RIGHT TO EXCLUDE OTHERS FROM SELLING THE VARIETY, OR OFFERING IT FOR SALE, OR REPRODUCING IT, OR IMPORTING IT, OR EXPORTING IT, OR CONDITIONING IT FOR PROPAGATION, OR STOCKING IT FOR ANY OF THE FOREGOING PURPOSES, OR USING IT IN PRODUCING A HYBRID OR DIFFERENT VARIETY THEREFROM, TO THE EXTENT PROVIDED BY THE PLANT VARIETY PROTECTION ACT. (84 STAT. 1542, AS AMENDED, 7 U.S.C. 2321 ET SEQ.)

TOMATO

'SENG 9155'

In Testimony Whereof, I have hereunto set my hand and caused the seal of the Plant Variety Protection Office to be affixed at the City of Washington, D.C. this twenty-third day of November, in the year two thousand and seven.

Attest:

Commissioner
Plant Variety Protection Office
Agricultural Marketing Service


Secretary of Agriculture

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
SCIENCE AND TECHNOLOGY - PLANT VARIETY PROTECTION OFFICE

APPLICATION FOR PLANT VARIETY PROTECTION CERTIFICATE
(Instructions and information collection burden statement on reverse)

The following statements are made in accordance with the Privacy Act of 1974 (5 U.S.C. 552a) and the Paperwork Reduction Act (PRA) of 1995.

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). Information is held confidential until certificate is issued (7 U.S.C. 2426).

1. NAME OF OWNER Syngenta Seeds, Inc.		2. TEMPORARY DESIGNATION OR EXPERIMENTAL NAME		3. VARIETY NAME SENG 9155	
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP Code, and Country) 600 North Armstrong Place Boise, ID 83704		5. TELEPHONE (include area code) 208-465-8522		FOR OFFICIAL USE ONLY PVPO NUMBER #200700294 FILING DATE MAY 3, 2007	
		6. FAX (include area code) 208-467-4559			
7. IF THE OWNER NAMED IS NOT A "PERSON", GIVE FORM OF ORGANIZATION (corporation, partnership, association, etc.) Corporation		8. IF INCORPORATED, GIVE STATE OF INCORPORATION Delaware		9. DATE OF INCORPORATION February 25, 1975	
10. NAME AND ADDRESS OF OWNER REPRESENTATIVE(S) TO SERVE IN THIS APPLICATION. (First person listed will receive all papers) Kim Briggs c/o Syngenta Seeds, Inc. 6338 Highway 20-26 Nampa, ID 83687				FILING AND EXAMINATION FEES: \$ 4,382.00 DATE May 3, 2007 CERTIFICATION FEE: \$ 768.00 DATE 9/26/2007	
11. TELEPHONE (include area code) 208-465-8522		12. FAX (include area code) 208-467-4559		13. E-MAIL kim.briggs@syngenta.com	
14. CROP KIND (Common Name) Tomato		16. FAMILY NAME (Botanical) solanacea		18. DOES THE VARIETY CONTAIN ANY TRANSGENES? (OPTIONAL) <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO IF SO, PLEASE GIVE THE ASSIGNED USDA-APHIS REFERENCE NUMBER FOR THE APPROVED PETITION TO DEREGULATE THE GENETICALLY MODIFIED PLANT FOR COMMERCIALIZATION.	
15. GENUS AND SPECIES NAME OF CROP Lycopersicon		17. IS THE VARIETY A FIRST GENERATION HYBRID? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO			
19. CHECK APPROPRIATE BOX FOR EACH ATTACHMENT SUBMITTED (Follow instructions on reverse) a. <input checked="" type="checkbox"/> Exhibit A. Origin and Breeding History of the Variety b. <input checked="" type="checkbox"/> Exhibit B. Statement of Distinctness c. <input checked="" type="checkbox"/> Exhibit C. Objective Description of Variety d. <input type="checkbox"/> Exhibit D. Additional Description of the Variety (Optional) e. <input checked="" type="checkbox"/> Exhibit E. Statement of the Basis of the Owner's Ownership f. <input checked="" type="checkbox"/> Exhibit F. Declaration Regarding Deposit g. <input checked="" type="checkbox"/> Voucher Sample (3,000 viable untreated seeds or, for tuber propagated varieties, verification that tissue culture will be deposited and maintained in an approved public repository) g. <input checked="" type="checkbox"/> Filing and Examination Fee (\$4,382), made payable to "Treasurer of the United States" (Mail to the Plant Variety Protection Office)				20. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE SOLD AS A CLASS OF CERTIFIED SEED? (See Section 83(a) of the Plant Variety Protection Act) <input type="checkbox"/> YES (If "yes", answer items 21 and 22 below) <input checked="" type="checkbox"/> NO (If "no", go to item 23) 21. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF CLASSES? <input type="checkbox"/> YES <input type="checkbox"/> NO IF YES, WHICH CLASSES? <input type="checkbox"/> FOUNDATION <input type="checkbox"/> REGISTERED <input type="checkbox"/> CERTIFIED 22. DOES THE OWNER SPECIFY THAT SEED OF THIS VARIETY BE LIMITED AS TO NUMBER OF GENERATIONS? <input type="checkbox"/> YES <input type="checkbox"/> NO IF YES, SPECIFY THE NUMBER 1,2,3, etc. FOR EACH CLASS. <input type="checkbox"/> FOUNDATION <input type="checkbox"/> REGISTERED <input type="checkbox"/> CERTIFIED (If additional explanation is necessary, please use the space indicated on the reverse.)	
23. HAS THE VARIETY (INCLUDING ANY HARVESTED MATERIAL) OR A HYBRID PRODUCED FROM THIS VARIETY BEEN SOLD, DISPOSED OF, TRANSFERRED, OR USED IN THE U. S. OR OTHER COUNTRIES? <input type="checkbox"/> YES <input checked="" type="checkbox"/> NO IF YES, YOU MUST PROVIDE THE DATE OF FIRST SALE, DISPOSITION, TRANSFER, OR USE FOR EACH COUNTRY AND THE CIRCUMSTANCES. (Please use space indicated on reverse.)				24. IS THE VARIETY OR ANY COMPONENT OF THE VARIETY PROTECTED BY INTELLECTUAL PROPERTY RIGHT (PLANT BREEDER'S RIGHT OR PATENT)? <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO PVR - Netherlands 3-5-2007 App.No. TMT1832 IF YES, PLEASE GIVE COUNTRY, DATE OF FILING OR ISSUANCE AND ASSIGNED REFERENCE NUMBER. (Please use space indicated on reverse.) → See next page please.	
25. The owners declare that a viable sample of basic seed of the variety has been furnished with application and will be replenished upon request in accordance with such regulations as may be applicable, or for a tuber propagated variety a tissue culture will be deposited in a public repository and maintained for the duration of the certificate. The undersigned owner(s) is(are) the owner of this sexually reproduced or tuber propagated plant variety, and believe(s) that the variety is new, distinct, uniform, and stable as required in Section 42, and is entitled to protection under the provisions of Section 42 of the Plant Variety Protection Act. Owner(s) is (are) informed that false representation herein can jeopardize protection and result in penalties.					
SIGNATURE OF OWNER 		SIGNATURE OF OWNER			
NAME (Please print or type) Kim Briggs		NAME (Please print or type)			
CAPACITY OR TITLE PVP Specialist		DATE 4-27-2007		CAPACITY OR TITLE DATE	

(See reverse for instructions and information collection burden statement)

GENERAL INSTRUCTIONS: To be effectively filed with the Plant Variety Protection Office (PVPO), **ALL** of the following items must be **received** in the PVPO: (1) Completed application form signed by the owner; (2) completed exhibits A, B, C, E, F; (3) for a tuber reproduced variety, verification that a viable (*in the sense that it will reproduce an entire plant*) tissue culture will be deposited and maintained in an approved public repository; and (4) payment by credit card or check drawn on a U.S. bank for \$4,382 (\$518 filing fee and \$3,864 examination fee), payable to "Treasurer of the United States" (*See Section 97.6 of the Regulations and Rules of Practice*). **NEW:** With the application for a seed reproduced variety or by direct deposit soon after filing, the applicant must provide at least 3,000 viable untreated seeds of the variety *per se*, and for a hybrid variety at least 3,000 untreated seeds of each line necessary to reproduce the variety. Partial applications will be held in the PVPO for not more than 90 days; then returned to the applicant as un-filed. Mail application and other requirements to Plant Variety Protection Office, AMS, USDA, Room 401, NAL Building, 10301 Baltimore Avenue, Beltsville, MD 20705-2351. Retain one copy for your files. All items on the face of the application are self explanatory unless noted below. Corrections on the application form and exhibits must be initialed and dated. **DO NOT** use masking materials to make corrections. If a certificate is allowed, you will be requested to send a payment by credit card or check payable to "Treasurer of the United States" in the amount of \$768 for issuance of the certificate. Certificates will be issued to owner, not licensee or agent.

NOTES: It is the responsibility of the applicant/owner to keep the PVPO informed of any changes of address or change of ownership or assignment or owner's representative during the life of the application/certificate. The fees for filing a change of address; owner's representative; ownership or assignment; or any modification of owner's name is specified in Section 97.175 of the regulations. (*See Section 101 of the Act, and Sections 97.130, 97.131, 97.175(h) of the Regulations and Rules of Practice.*)

Plant Variety Protection Office
Telephone: (301) 504-5518 **FAX:** (301) 504-5291
General E-mail: PVP@ams.usda.gov
Homepage: <http://www.ams.usda.gov/science/pvpo/PVPindex.htm>

#200700294

SPECIFIC INSTRUCTIONS:

To avoid conflict with other variety names in use, the applicant must check the appropriate recognized authority and **provide evidence** that the permanent name of the application variety (even if it is a parental, inbred line) has been cleared by the appropriate recognized authority before the Certificate of Protection is issued. For example, for agricultural and vegetable crops, contact: U.S. Department of Agriculture, Agricultural Marketing Service, Livestock and Seed Programs, **Seed Regulatory and Testing Branch**, 801 Summit Crossing Place, Suite C, Gastonia, North Carolina 28054-2193 Telephone: (704) 810-8870.
<http://www.ams.usda.gov/lsg/seed.htm>.

ITEM

- 19a. Give: (1) the genealogy, including public and commercial varieties, lines, or clones used, and the breeding method;
(2) the details of subsequent stages of selection and multiplication;
(3) evidence of uniformity and stability; and
(4) the type and frequency of variants during reproduction and multiplication and state how these variants may be identified
- 19b. Give a summary of the variety's distinctness. Clearly state how this application variety may be distinguished from all other varieties in the same crop. If the new variety is most similar to one variety or a group of related varieties:
(1) identify these varieties and state all differences objectively;
(2) attach replicated statistical data for characters expressed numerically and demonstrate that these are clear differences; and
(3) submit, if helpful, seed and plant specimens or photographs (prints) of seed and plant comparisons which clearly indicate distinctness.
- 19c. Exhibit C forms are available from the PVPO Office for most crops; specify crop kind. Fill in Exhibit C (Objective Description of Variety) form as completely as possible to describe your variety.
- 19d. Optional additional characteristics and/or photographs. Describe any additional characteristics that cannot be accurately conveyed in Exhibit C. Use comparative varieties as is necessary to reveal more accurately the characteristics that are difficult to describe, such as plant habit, plant color, disease resistance, etc.
- 19e. Section 52(5) of the Act requires applicants to furnish a statement of the basis of the applicant's ownership. An Exhibit E form is available from the PVPO.
20. If "Yes" is specified (*seed of this variety be sold by variety name only, as a class of certified seed*), the applicant **MAY NOT** reverse this affirmative decision after the variety has been sold and so labeled, the decision published, or the certificate issued. However, if "No" has been specified, the applicant may change the choice. (*See Regulations and Rules of Practice, Section 97.103*).
23. See Sections 41, 42, and 43 of the Act and Section 97.5 of the regulations for eligibility requirements.
24. See Section 55 of the Act for instructions on claiming the benefit of an earlier filing date.

22. CONTINUED FROM FRONT (*Please provide a statement as to the limitation and sequence of generations that may be certified.*)

N/a

23. CONTINUED FROM FRONT (*Please provide the date of first sale, disposition, transfer, or use for each country and the circumstances, if the variety (including any harvested material) or a hybrid produced from this variety has been sold, disposed of, transferred, or used in the U.S. or other countries.*)

N/a

24. CONTINUED FROM FRONT (*Please give the country, date of filing or issuance, and assigned reference number, if the variety or any component of the variety is protected by intellectual property right (Plant Breeder's Right or Patent).*)

PVR - Netherlands, Applied for 3-5-2007, App. No. TMT 1832

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 1.4 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

Plant Variety Protection

Exhibit A Origin and Breeding History

SENG 9155

In 1991, in a F2 segregating population of commercial variety Camone (female), one mutant plant was observed as having brown fruit color at maturity instead of red. This plant was used to create new lines with this special ripe fruit color and good agronomical value.

The breeding method is pedigree selection method.

- In June 1992, the mutant for brown color at maturity was planted in the field. This inbred was crossed with the commercial variety Sofia (male) which is well known for its dark green external fruit color at immature stage.
- The aim was to develop a segregating population with external dark green fruit color at immature stage and brown fruit color at maturity.
- In January 1998, 150 plants of the F2 coming from this cross were planted under staked plot number, 21388, in our Syngenta station in Almeria, Spain under greenhouse environment and 8 plants were selected.
- In December 1999, the 8 F3 selections were planted (25 plants each) under staked plot number 00ALP25790.1-25790.8. 13 plants were selected and the seeds collected. The seeds were sent to our pathology department for disease testing.
- In August 2000, the F4's were planted (15 plants each) under staked plot number 00ALA20483.1-00ALA20483. 12 plants were selected.
- In January 2001, the 12 F5 selections were planted (10 plants each) and the best two lines were selected.
- In August 2001, the 2 F6's were planted (10 Plants each). Fruits of both lines were sent to the Fruit Quality Service in Almeria for analysis and the best line with enhanced taste was selected.
- In January 2002, the F7 was planted under the name SENG 9155 with 15 plants. The plants were observed for stability and the seeds were harvested and sent to the production department in Holland in the fall of 2003 (July-Dec) and the spring of 2004 (Jan-May), where they were grown for two cycles and proved to be stable and uniform. Seeds of the selected F7 were sent to our pathology department for disease test confirmation in France.

The main selection criteria were dark green exterior at immature fruit stage, exterior brown fruit color at maturity, taste and diseases resistances.

The variety is uniform and stable within commercially acceptable limits. A small percentage of variants can occur as with other tomato varieties. However, no variants were observed during the two years in which the variety was observed to be uniform and stable.

Exhibit B
Statement of Distinctness.

SENG 9155

SENG 9155 is described as a parent line to produce fresh market tomato hybrids. The novelty of SENG 9155 is a fruit with dark green immature external fruit color that turns brown at maturity while maintaining good flavor under greenhouse environmental conditions.

SENG 9155 most closely resembles Black Prince, but the characteristics that most distinguish the two varieties, but may not be limited to, are:

- The immature external green fruit color of SENG 9155 is dark (RHS141A) while Black Prince immature external fruit color is much lighter green (RHS139C).
- SENG 9155 is resistant to ToMV, Verticillium wilt and Fusarium wilt races 1 and 2 while Black Prince is susceptible to the mentioned diseases.
- Black prince is very soft at the moment of harvest while SENG 9155 maintains a good firmness for almost one week after harvest.

Two separate firmness analysis were conducted in two separate seasons (spring and fall) of 2005 at our El Ejido, Spain location.

#200700294

Susceptibility tests fusarium wilt, tested in France on 3 separate test (October 2002, May 2003 and October 2003) for varieties Black Prince, and SENG 9155. Causal agent *Fusarium oxysporum* f.sp. *lycopersici*.

DATE	PLACE	Variety	PLANTS	Susceptible P1	Resistant P1
25-Oct-02	France (Sarrians)	Black Prince	20	20	0
25-Oct-02	France (Sarrians)	SENG 9155	20	0	20
5-May-03	France (Sarrians)	Black Prince	22	22	0
5-May-03	France (Sarrians)	SENG 9155	18	0	18
20-Oct-03	France (Sarrians)	Black Prince	20	20	0
20-Oct-03	France (Sarrians)	SENG 9155	20	0	20

#200700294

SENG 9155
Exhibit D

Fusarium oxysporum f. sp. *lycopersici* Black



According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 2.2 hours per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
SCIENCE AND TECHNOLOGY
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MD 20705

EXHIBIT C

OBJECTIVE DESCRIPTION OF VARIETY
TOMATO (*Lycopersicon esculentum*)

NAME OF APPLICANT (S) <i>Syngenta Seeds, Inc.</i>	TEMPORARY OR EXPERIMENTAL DESIGNATION	VARIETY NAME <i>SENG 9155</i>
ADDRESS (Street and No. or RD No., City, State, Zip Code, and Country) <i>600 North Armstrong Place Boise, Idaho 83704</i>		FOR OFFICIAL USE ONLY PVPO NUMBER <i>#200700294</i>

Choose responses for the following characters which best fit your variety. Complete this form as fully as possible for best characterization of the variety. When a single quantitative value is requested (e.g., fruit weight), your answer should be the mean of an adequate-sized, unbiased sample of plants. Use leading zeros when necessary (e.g., 0 2 or 0 8 1, etc.). The applicant variety should be compared with at least one well-known standard check variety of the same type (see list of recommended check varieties below), and grown in the same trials. The characters on this form should be described from plants grown under normal conditions of culture for the variety. Indicated by check whether trial data are from green house ☒ or field ☐ planting. Trials direct-seeded ☐ or transplanted; staked ☒ or unstaked ☐. Give locations and dates of seeding and transplanting here: LOCATION:ALMERIA (SPAIN). SOWING DATE:7-8-06. PLANTING DATE:8-10-06

COMPARISONS SHOULD BE MADE TO ONE OR MORE CHECK VARIETIES IN THE FOLLOWING LIST. IF AT ALL POSSIBLE, ENTER THE NUMBER OF THE CHECK IN BOXES WHERE IDENTITY OF CHECK IS REQUESTED.

1 = Ace 55 VF	7 = Homestead 24	13 = Red Rock	19 = VF 134
2 = Campbell 37	8 = Marglobe	14 = Roma VF	20 = US 28
3 = Chico III	9 = Murietta	15 = Rutgers	21 = VF 145 B 7879
4 = Flora Dade	10 = New Yorker	16 = Sunray	22 = Other (Specify) <u>DANIELA</u>
5 = Florida MH-1	11 = Ohio MR-13	17 = Tropic	23 = Other (Specify) _____
6 = Heinz 1350	12 = Red Cherry Large	18 = UC 82	24 = Other (specify) _____

1. SEEDLING

2 Anthocyanin in hypocotyl of 2 – 15 cm seedling: 1 = Absent 2 = Present 1 Habit of 3 – 4 week old seedling: 1 = Normal 2 = Compact

2. MATURE PLANT (at maximum vegetative development)

2 1 0 cm Height
1 Growth: 1 = Indeterminate 2 = Determinate
1 Form: 1 = Lax, open 2 = Normal 3 = Compact 4 = Dwarf 5 = Brachytic
2 Size of canopy (compared to others of similar type): 1 = Small 2 = Medium 3 = Large
2 Habit: 1 = Sprawling (decumbent) 2 = Semi-Erect 3 = Erect ('Dwarf Champion')

3. STEM

- 2 Branching: 1 = Sparse ('Brehm's Solid Red', 'Fireball') 2 = Intermediate ('Westover') 3 = Profuse ('UC 82') **#200700294**
- 2 Branching at cotyledonary or first leafy node: 1 = Present 2 = Absent
- 4 No. of nodes between first inflorescences: 1 = 1-4 2 = 4-7 3 = 7-10 4 = 10 or more
- 3 No. of nodes between early (1st - 2nd, 2nd - 3rd) inflorescences. 3 No. of nodes between later developing inflorescences.
- 2 Pubescence on younger stems: 1 = Smooth (no long hairs) 2 = Sparsely hairy (scattered long hairs) 3 = Moderately hairy 4 = Densely hairy or wooly

4. LEAF (mature leaf beneath the 3rd inflorescences)

- 1 Type: 1 = Tomato 2 = Potato ('Trip-L-Crop') 1 Morphology (choose illustration at the end of this form that is most similar)
- 2 Margins of major leaflets: 1 = Nearly entire 2 = Shallowly toothed or scalloped 3 = Deeply toothed or cut, sps. Toward base
- 2 Marginal rolling or wiltiness: 1 = Absent 2 = Slight 3 = Moderate 4 = Strong
- 3 Onset of leaflet rolling: 1 = Early-Season 2 = Mid-Season 3 = Late Season
- 2 Surface of major leaflets: 1 = Smooth 2 = Rugose (bumpy or veiny)
- 1 Pubescence: 1 = Smooth (no long hairs) 2 = Normal 3 = Hirsute 4 = Wooly

5. INFLORESCENCE (make observations on 3rd inflorescence)

- 1 Type: 1 = Simple 2 = Forked (2 major axes) 3 = Compound (much branched)
- 0 4 Number of flowers in inflorescence. Average
- 1 Leafy or "running" inflorescences: 1 = Absent 2 = Occasional 3 = Frequent

6. FLOWER

- 1 Calyx: 1 = Normal, lobes awl-shaped 2 = Macrocalyx, lobes large, leaflike 3 = Fleshy
- 2 Calyx-lobes: 1 = Shorter than corolla 2 = Approx. equalling corolla 3 = Distinctly longer than corolla
- 1 Corolla color: 1 = Yellow 2 = Old Gold 3 = White or Tan
- 2 Style pubescence: 1 = Absent 2 = Sparse 3 = Dense
- 1 Anthers: 1 = All fused into tube 2 = Separateing into 2 or more groups at anthesis
- 2 Fasciation (1st flower of 2nd or 3rd inflorescence): 1 = Absent 2 = Occasionally present 3 = Frequently present

7. FRUIT (3rd fruit of 2nd or 3rd cluster) For the first 5 characters below, match your variety with the most similar illustration on pages at the end of this form.

- 2 Typical fruit shape 1 Shape of transverse section 2 Shape of stem end
- 2 Shape of blossom end 1 Shape of pistil scar
- 1 Abscission layer: 1 = Present (pedicellate) 2 = Absent (jointless)
- 2 Point of detachment of fruit at harvest: 1 = At pedicel joint 2 = At calyx attachment
- 1 1 mm Length of dedicel (from joint to calyx attachment)
- 0 4 6 mm Length of mature fruit (stem axis) 0 5 3 mm Length, check var. no. 2 2
- 0 6 6 mm Diameter of fruit at widest point 0 6 6 mm Diameter, check var. no. 2 2
- 1 3 7 g Weight of mature fruit 1 4 0 g Weight, check var. no. 2 2
- 3 No. of locules: 1 = Two 2 = Three and four 3 = Five or more
- 1 Fruit surface: 1 = Smooth 2 = Slightly rough 3 = Moderately rough or ribbed
- 5 Fruit base color (mature-green stage):
1 = Light Green ('Lanai', 'VF 145-F5') 2 = Light Gray-Green 3 = Apple or Medium Green ('Heinz 1439 VF') 4 = Yellow Green 5 = Dark Green
- 2 Fruit Pattern (mature-green stage): 1 = Uniform Green 2 = Green-Shouldered 3 = Radial Stripes on Sides of Fruit

7. FRUIT (continued)

#200700294

- 1 Shoulder color if different from base: 1 = Dark Green 2 = Grey Green 3 = Yellow Green
- 6 Fruit color, full-ripe: 1 = White 2 = Yellow 3 = Orange 4 = Pink 5 = Red 6 = Brownish 7 = Greenish 8 = Other (specify) _____
- 5 Flesh color, full-ripe: 1 = Yellow 2 = Pink 3 = Red/Crimson 4 = Orange 5 = Other (specify) brownish
- 2 Flesh color: 1 = Uniform 2 = With lighter and darker areas in walls
- 1 Locular gel color of table-ripe fruit: 1 = Green 2 = Yellow 3 = Red
- 2 Ripening: 1 = Blossom-to-stem end 2 = Uniform
- 1 Ripening: 1 = Inside out 2 = Uniformly 3 = Outside in
- 2 Stem scar size: 1 = Small ('Roma') 2 = Medium ('Rutgers') 3 = Large
- 2 Core: 1 = Coreless (absent or smaller than 6x6 mm) 2 = Present
- 2 Epidermis color: 1 = Colorless 2 = Yellow
- 2 Epidermis: 1 = Normal 2 = Easy-peel
- 3 Epidermis texture: 1 = Tender 2 = Average 3 = Tough
- 8 Thickness of pericarp 8.6 Thickness of pericarp. Check var. no. 2 2
- 2 Anthocyanin in hypocotyl of 2 - 15 mc seedling: 1 = Absent 2 = Present 1 Habit of 3 - 4 week old seedling: 1 = Normal 2 = Compact

8. RESISTANCE TO FRUIT DISORDER (Use code: 0 = Unknown 1 = Susceptible 2 = Resistant)

- 1 Blossom end rot 2 Catface _____ Fruit pox _____ Zippering
- 2 Blotchy ripening _____ Cracking, concentric _____ Gold fleck _____ Other (specify) _____
- _____ Bursting 1 Cracking, radial 2 Graywall

9. DISEASE AND PEST REACTION (Use code: 0 = Unknown 1 = Susceptible 2 = Resistant) NOTE: If claim of novelty is based wholly or in substantial part upon disease resistance, trial data should be appended. These should specify the method of testing, the reaction of the application variety, and reaction of well-known check varieties grown in the trial (identified by name).

Viral Diseases:

- _____ Cucumber mosaic 2 Tobacco mosaic, Race 0 2 Tobacco mosaic, Race2²
- _____ Curly top 2 Tobacco mosaic, Race 1 _____ Tomato spotted wilt
- _____ Potato-Y virus 2 Tobacco mosaic, Race 2 _____ Tomato yellows
- _____ Blotchy ripening _____ Cracking, concentric _____ Gold fleck
- _____ Other virus (specify) _____

Bacterial Diseases:

- _____ Bacterial canker (*Corynebacterium michiganense*) _____ Bacterial spot (*Xanthomonas vesicatorum*)
- _____ Bacterial soft rot (*Erwinia carotovora*) _____ Bacterial wilt (*Pseudomonas solanacearum*)
- _____ Bacterial speck (*Pseudomonas tomato*) _____ Other bacterial disease (specify) _____

Fungal Diseases:

- _____ Anthracnose (*Colletotrichum* spp.) _____ Leaf mold, Race 1 (*Cladosporium fulvum*)
- _____ Brown root rot or corky root (*Pyrenochaeta lycopersici*) _____ Leaf mold, Race 2
- _____ Collar rot or stem canker (*Alternaria solani*) _____ Leaf mold, Race 3
- _____ Early blight defoliation (*Alternaria solani*) _____ Leaf mold, other races (specify) _____
- 2 Fusarium wilt, Race 1 (*F. oxysporum f. lycopersici*) _____ Nailhead spot (*Alternaria tomato*)
- 2 Fusarium wilt, Race 2 _____ Sepsoria leafspot (*S. lycopersici*)
- _____ Fusarium wilt, Race 3 _____ Target leafspot (*Corynespora cassicola*)

9. DISEASE AND PEST REACTION (continued)

Fungal Diseases:

☐ Gray leaf spot (*Stemphylium* spp.)☒ Verticillium wilt, Race 1 (*V. albo-atrum*)☐ Late blight, Race 0 (*Phytophthora infestans*)☒ Verticillium wilt Race 2☐ Late blight, Race 1☐ Other fungal disease (specify) _____

Insects and Pests:

☐ Colorado potato beetle (*Leptinotarsa decemlineata*)☐ Tomato hornworm (*Manduca quinquemaculata*)☒ Southern root knot nematode (*Meloidogyne incognita*)☐ Tomato fruitworm (*Heliothis zea*)☐ Spider mites (*Tetranychus* spp.)☐ Whitefly (*Trialeurodes vaporariorum*)☐ Sugar beet army worm (*Spodoptera exigua*)☐ Other (specify) _____☐ Tobacco flea beetle (*Epitrix hirtipennis*)

Pollutants:

☐ Ozone☐ Sulfur dioxide☐ Other (specify) _____**10. CHEMISTRY AND COMPOSITION OF FULL-RIPE FRUITS** Suggested test methods may be found in "Tomato Products", 5th ed., National Canners Assn. Bull. 27-L. Please specify test methods or give a reference to methods used. Fill in table below with values for the new variety and for at least one well-known check variety of similar type grown in the same trial. Specify names or numbers of check varieties.

	Submitted Variety	Check Variety	Check Variety	Check Variety
pH				
Titrate acidity, as % citric				
Total solids (dry matter, seeds and skin removed)				
Soluble solids as °Brix				

11. PHENOLOGY Express length of developmental stages either as calendar days or as heat units (growing degree days), in degrees Celsius. If heat units are used, indicate the base temperature used in their calculation here _____ °C. See paper by Warnock under "References" for method. Give comparative data for at least one check variety; identify checks by name or by number from table on page 1.

	Application Variety	Check Variety	Check Variety	Check Variety
Seeding to 50% flow (1 open on 50% of plants)				
Seed to once over harvest (if applicable)				

☒ Fruiting season: 1 = Long ('Marglobe') 2 = Medium ('Westover') 3 = Short, concentrated ('VF 145') 4 = Very concentrated ('UC 82')☒ Relative maturity in areas tested: 1 = Early 2 = Medium early 3 = Medium 4 = Medium late 5 = Late 6 = Variable
(If relative maturity is known to differ by location or environment, please explain on separate sheet)**12. ADAPTATION** If more than one category applies, list all in rank order.☒ Culture: 1 = Field 2 = Greenhouse☐ Principle use(s): 1 = Home garden 2 = Fresh market 3 = Whole-pack canning 4 = Concentrated products

5 = Other (specify) _____

☒ Machine harvest: 1 = Not adapted 2 = Adapted☐ Regions to which adaptation has been demonstrated:

1 = Northeast

2 = Mid Atlantic

3 = Southeast

4 = Florida

5 = Great Plains

6 = South-central

7 = Intermountain West

8 = Northwest

9 = California: Sacramento and Upper San Joaquin Valley

10 = California: Coastal Areas


11 = California: Southern San Joaquin Valley & Deserts

ILLUSTRATIONS OF TOMATO LEAF AND FRUIT CHARACTERISTICS


4. LEAF

Morphology:


#200700294




(1)




(2)



(3)




(4)




(5)

7. FRUIT


Typical fruit shape:




(1)



(2)




(3)



(4)




(5)



(6)



(7)



(8)




(9)



(10)


Shape of transverse section:



1 = Round



2 = Flattened



3 = Angular




4 = Irregular

Shape of stem end:




1 = Flat




2 = Indented


Shape of blossom end:



1 = Indented



2 = Flat




3 = Nipped




4 = Tapered

Shape of pistil scar:



1 = Dot



2 = Stellate



3 = Linear



4 = Irregular

REFERENCES

SENG 9155
#200700294

- Anonymous, 1976. All About Tomatoes. Ortho Books, Chevron Chemical Co., San Francisco. In three volumes: Midwest/Northeast Edition, West Edition, and South Edition.
- Ware, G.W. & J.P. McCollum, 1968. Producing Vegetable Crops. The Interstate Printer & Publishers, Inc., Danville, Illinois. Chapter 30, pp. 451-473, "Tomatoes".
- Warnock, S.J. 1978. Using Tomato Heat Units. Leaflet No. 6, Campbell Institute for Agricultural Research, Camden, NJ. 10 p.
- Webb, R.E., T.H. Barksdale, & A.K. Stoner, 1973. "Tomatoes", pp. 344-361, in: Nelson, R.R. (Ed.), Breeding Plants for Disease Resistance. Pennsylvania State University Press, University Park.
- Young, P.A. & J.W. MacArthur, 1947. Horticultural characters of tomatoes. Bull. Texas Agric. Exper. Station No. 698.

U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE

Application is required in order to determine if a plant variety protection certificate is to be issued (7 U.S.C. 2421). The information is held confidential until the certificate is issued (7 U.S.C. 2426).

EXHIBIT E
STATEMENT OF THE BASIS OF OWNERSHIP

1. NAME OF APPLICANT(S) Syngenta Seeds, Inc.	2. TEMPORARY DESIGNATION OR EXPERIMENTAL NUMBER	3. VARIETY NAME SENG 9155
4. ADDRESS (Street and No., or R.F.D. No., City, State, and ZIP, and Country) 600 North Armstrong Place Boise, ID 83704	5. TELEPHONE (Include area code) 208-465-8522	6. FAX (Include area code) 208-467-4559
7. VPPO NUMBER # 2 0 0 7 0 0 2 9 4		
8. Does the applicant own all rights to the variety? Mark an "X" in the appropriate block. If no, please explain. <input checked="" type="checkbox"/> YES <input type="checkbox"/> NO		

9. Is the applicant (individual or company) a U.S. national or a U.S. based company? If no, give name of country. ☒ YES ☐ NO

10. Is the applicant the original owner? ☒ YES ☐ NO If no, please answer one of the following:

a. If the original rights to variety were owned by individual(s), is (are) the original owner(s) a U.S. National(s)?

☐ YES ☐ NO If no, give name of country

b. If the original rights to variety were owned by a company(ies), is (are) the original owner(s) a U.S. based company?

☐ YES ☐ NO If no, give name of country

11. Additional explanation on ownership (Trace ownership from original breeder to current owner. Use the reverse for extra space if needed):

SENG 9155 was bred and developed by plant breeders employed by Syngenta Seeds, Inc. By agreement between the employee and Syngenta Seeds, Inc., all rights to any invention, discovery or development made by the employee while employed by Syngenta Seeds were assigned to Syngenta Seeds, Inc., with no rights retained by the employee.

PLEASE NOTE:

Plant variety protection can only be afforded to the owners (not licensees) who meet the following criteria:

1. If the rights to the variety are owned by the original breeder, that person must be a U.S. national, national of a UPOV member country, or national of a country which affords similar protection to nationals of the U.S. for the same genus and species.
2. If the rights to the variety are owned by the company which employed the original breeder(s), the company must be U.S. based, owned by nationals of a UPOV member country, or owned by nationals of a country which affords similar protection to nationals of the U.S. for the same genus and species.
3. If the applicant is an owner who is not the original owner, both the original owner and the applicant must meet one of the above criteria.

The original breeder/owner may be the individual or company who directed the final breeding. See Section 41(a)(2) of the Plant Variety Protection Act for definitions.

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 0.1 hour per response, including the time for reviewing the instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, age, disability, and where applicable, sex, marital status, familial status, parental status, religion, sexual orientation, genetic information, political beliefs, reprisal, or because all or part of an individual's income is derived from any public assistance program (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotope, etc.) should contact USDA's TARGET Center at (202) 720-2600 (voice and TDD).

To file a complaint of discrimination, write to USDA, Director, Office of Civil Rights, 1400 Independence Avenue, S.W., Washington, D.C. 20250-9410, or call (800) 795-3272 (voice) or (202) 720-6382 (TDD). USDA is an equal opportunity provider and employer.

REPRODUCE LOCALLY. Include form number and date on all reproductions.

Form Approved OMB NO 0581-0055

According to the Paperwork Reduction Act of 1995, an agency may not conduct or sponsor, and a person is not required to respond to a collection of information unless it displays a valid OMB control number. The valid OMB control number for this information collection is 0581-0055. The time required to complete this information collection is estimated to average 5 minutes per response, including the time for reviewing instructions, searching existing data sources, gathering and maintaining the data needed, and completing and reviewing the collection of information.

The U.S. Department of Agriculture (USDA) prohibits discrimination in all its programs and activities on the basis of race, color, national origin, gender, religion, age, disability, sexual orientation, marital or family status, political beliefs, parental status, or protected genetic information. (Not all prohibited bases apply to all programs.) Persons with disabilities who require alternative means for communication of program information (Braille, large print, audiotape, etc.) should contact USDA's TARGET Center at 202-720-2600 (voice and TDD).

To file a complaint of discrimination, write USDA, Director, Office of Civil Rights, Room 326-W, Whitten Building, 14th and Independence Avenue, SW, Washington, DC 20250-9410 or call 202-720-5964 (voice and TDD). USDA is an equal opportunity provider and employer.


U.S. DEPARTMENT OF AGRICULTURE
AGRICULTURAL MARKETING SERVICE
SCIENCE AND TECHNOLOGY
PLANT VARIETY PROTECTION OFFICE
BELTSVILLE, MD 20705

EXHIBIT F
DECLARATION REGARDING DEPOSIT

NAME OF OWNER (S) Syngenta Seeds, Inc.	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country) 600 North Armstrong Place Boise, ID 83704	TEMPORARY OR EXPERIMENTAL DESIGNATION VARIETY NAME SENG 9155
NAME OF OWNER REPRESENTATIVE (S) Kim Briggs	ADDRESS (Street and No. or RD No., City, State, and Zip Code and Country) 6338 Highway 20-26 Nampa, ID 83687	FOR OFFICIAL USE ONLY PVPO NUMBER #200700294

I do hereby declare that during the life of the certificate a viable sample of propagating material of the subject variety will be deposited, and replenished as needed periodically, in a public repository in the United States in accordance with the regulations established by the Plant Variety Protection Office.


Signature


Date